

Distribution solutions



Fibrain wall mounted distribution cabinet NSR-xx



DESCRIPTION:

- Available in three different sizes
- Splice capacity from 24 up to 96
- Adapter panel for SC SX, SC DX, ST, FC
- Door protection with cylindrical lock
- Cable entry sealed with foam or cable glands depending on the cabinet type

TECHNICAL SPECIFICATION:

Technical specification	NSR-S-xx	NSR-M-xx	NSR-L-xx
Height [mm]	304	325	445
Width [mm]	150	285	445
Depth [mm]	55	55	100
Max. number of splices	24	72	96
Max. number of adapters	12	24	72
Max. number of entry cables	4	6	6
Cable gland qty	-	-	4
Cable gland type	-	-	PG 13,5
Casing material	Powder painted steel		
Color	Grey RAL7035		



NSR-S

NSR-M

NSR-L

Type:	Indoor cabinet	
Ref:	NSR-xx	REV: 1.6
Date:	07.11.2016	BR
Modification:	12.05.2023	DP

ADDITIONAL EQUIPMENT:

Splice cassette for 12 splices		SCM-A-12H
Splice cassette for 24 splices		SCM-A-24H
Cable gland		DL13.5
Adapter panels		
NSR-S	12xSC Simplex	FB2100
	4xSC Duplex	FB2101
	8xST/FC Simplex	FB2102
	8xSC Duplex	FB2103
NSR-M	12xSC Duplex	FB2104
	12xST/FC Simplex	FB2105
	24xST/FC Simplex	FB2106
NSR-L	24xSC Simplex	FB2107
	48xST/FC Simplex	FB2043
	48xSC Simplex	FB2044
	48xSC Duplex	FB2045
	72xSC Simplex	FB2046
	72xST/FC Simplex	FB2047

ORDERING INFORMATION:

NSR-X-AA-BBCDE-FFGHHIJJ-KL-MN

X – Cabinet size	S – NSR-S M – NSR-M L – NSR-L
AA – Adapter panels type	01 - FB2101 - 4xSC Duplex 02 - FB2102 - 8xST/FC Simplex 03 - FB2103 - 8xSC Duplex 04 - FB2104 - 12xSC Duplex 05 - FB2105 - 12xST/FC Simplex 06 - FB2106 - 24xST/FC Simplex 07 - FB2107 - 24xSC Simplex 09 - FB2043 - 48xST/FC Simplex 10 - FB2044 - 48xSC Simplex 11 - FB2045 - 48xSC Duplex 12 - FB2046 - 72xSC Simplex 13 - FB2047 - 72xST/FC Simplex 14 – FB2100 – 12xSC Simplex
BB – Adapters qty	0-96
C – Adapter class	1 – Standard One-Piece (as well for E2000, FC, ST) 2 – Premium Super One-Piece 3 – Premium One-Piece with internal shutter 4 - Premium Super One-Piece with internal shutter 5 – Premium (@FC, ST)
D – Adapter type	1 – SC 2 – SCA 3 – E2000 4 – E2000 APC 5 – LC 6 – LCA 7 – FC 8 – FCA 9 – ST
E – Transmission	1 – SM 2 – MM (beige @SC/LC, black @E2000) 3 – MM OM3 (aqua @SC/LC) 4 – MM OM4 (violet @SC/LC)
FF – Pigtails qty	0-96

Type:	Indoor cabinet	
Ref:	NSR-xx	REV: 1.6
Date:	07.11.2016	BR
Modification:	12.05.2023	DP

Distribution solutions

G – Fiber type	A – G.652D B – G.655 C – G.656 D – G.657A1 E – G.657A2 F – G.657B2 G – G.657B3 H – MM OM1 I – MM OM2 K – MM OM3 L – MM OM4
HH – Connector type	01 – SC 02 – SCA 03 – LC 04 – LCA 05 – FC 06 – FCA 07 – E2 08 – E2A 09 – ST
I – Pigtail grade	G – Gold
JJ – Colour identification	01 – for pigtails with yellow 0.9mm buffer 02 – for pigtails with orange 0.9mm buffer 03 – T TELECOM (acc. to IEC60304) 04 – T1 TELECOM (acc. to 60304/tab. 3 & ZN-11/TPSA-005-02) 05 – T2 TELECOM (acc. to z EIA 598A) 06 – D DATACOM (acc. to DIN VDE 0888 & IEC 60304) 07 – D1 DATACOM (acc. to IEC 60304, TIA/EIA 598-A, TIA/EIA 598-C) 08 – for pigtails with aqua 0.9mm buffer 09 – for pigtails with green 0.9mm buffer 10 – for pigtails with violet 0.9mm buffer
K – splice tray qty	1-4
L – splice tray type	1 – SCM-A-12H 2 – SCM-A-24H
M - Cable gland qty (refers only to NSR-L)	0-4
N - Cable gland type	1 – PG13.5

This document and the statements contained in it, are not intended for customers within the meaning of Civil Code. The information submitted in this document is to our knowledge and belief true at the time of issue, however, we do not assume any liability whatsoever for its accuracy, and completeness. This document is for informational purposes on an "as is" basis only, and Fibrain reserves the right to change its contents at any time without prior notice. The specification cannot in any case be considered an offer within the meaning of the Civil Code and is not contractually valid unless specifically authorized by Fibrain. Before using this product, its buyer and/or user has to make sure that it is suitable for the intended use. All liability issues related to this product are subjected to the seller's separate Terms of Sale or the terms and conditions agreed with the Fibrain representative or distributor.